


## Test Data

### Clause 5.4.2 RF Output Power


Condition	Mode	Frequency (MHz)	Max Burst RMS Power (dBm)	Burst Number	Max EIRP (dBm)	Limit (dBm)	Verdict
LVHT	b	2412	16.14	1	17.14	20	Pass
LVHT	b	2442	16.68	1	17.68	20	Pass
LVHT	b	2472	16.62	1	17.62	20	Pass
LVHT	g	2412	14.76	1	15.76	20	Pass
LVHT	g	2442	15.24	1	16.24	20	Pass
LVHT	g	2472	15.46	1	16.46	20	Pass
LVHT	n20	2412	13.18	1	14.18	20	Pass
LVHT	n20	2442	13.95	1	14.95	20	Pass
LVHT	n20	2472	14.31	1	15.31	20	Pass
LVHT	n40	2422	14.66	1	15.66	20	Pass
LVHT	n40	2442	14.79	1	15.79	20	Pass
LVHT	n40	2462	15.16	1	16.16	20	Pass
LVLT	b	2412	16.13	1	17.13	20	Pass
LVLT	b	2442	16.67	1	17.67	20	Pass
LVLT	b	2472	16.57	1	17.57	20	Pass
LVLT	g	2412	14.77	1	15.77	20	Pass
LVLT	g	2442	15.25	1	16.25	20	Pass
LVLT	g	2472	15.49	1	16.49	20	Pass
LVLT	n20	2412	13.20	1	14.20	20	Pass
LVLT	n20	2442	13.96	1	14.96	20	Pass
LVLT	n20	2472	14.31	1	15.31	20	Pass
LVLT	n40	2422	14.66	1	15.66	20	Pass
LVLT	n40	2442	14.82	1	15.82	20	Pass
LVLT	n40	2462	15.16	1	16.16	20	Pass
NVNT	b	2412	16.33	1	17.33	20	Pass
NVNT	b	2442	16.69	1	17.69	20	Pass
NVNT	b	2472	16.87	1	17.87	20	Pass
NVNT	g	2412	14.77	1	15.77	20	Pass
NVNT	g	2442	15.31	1	16.31	20	Pass
NVNT	g	2472	15.54	1	16.54	20	Pass
NVNT	n20	2412	13.29	1	14.29	20	Pass
NVNT	n20	2442	14.00	1	15.00	20	Pass
NVNT	n20	2472	14.36	1	15.36	20	Pass
NVNT	n40	2422	14.72	1	15.72	20	Pass
NVNT	n40	2442	14.91	1	15.91	20	Pass

NVNT	n40	2462	15.31	1	16.31	20	Pass
------	-----	------	-------	---	-------	----	------


## Power LVHT b 2412MHz




## Power LVHT b 2442MHz




## Power LVHT b 2472MHz




## Power LVHT g 2412MHz




## Power LVHT g 2442MHz




## Power LVHT g 2472MHz




## Power LVHT n20 2412MHz




## Power LVHT n20 2442MHz




## Power LVHT n20 2472MHz




## Power LVHT n40 2422MHz




## Power LVHT n40 2442MHz




## Power LVHT n40 2462MHz



## Power LVLTL b 2412MHz




## Power LVLTL b 2442MHz







## Power LVLTL b 2472MHz




## Power LVLTL g 2412MHz




## Power LVLTL g 2442MHz




## Power LVLTL g 2472MHz




## Power LVL n20 2412MHz




## Power LVL n20 2442MHz




## Power LVL n20 2472MHz




## Power LVL n40 2422MHz




## Power LVL n40 2442MHz




## Power LVL n40 2462MHz




## Power NVNT b 2412MHz




## Power NVNT b 2442MHz




## Power NVNT b 2472MHz




## Power NVNT g 2412MHz



## Power NVNT g 2442MHz




## Power NVNT g 2472MHz







## Power NVNT n20 2412MHz




## Power NVNT n20 2442MHz




## Power NVNT n20 2472MHz




## Power NVNT n40 2422MHz



## Power NVNT n40 2442MHz



## Power NVNT n40 2462MHz



## Clause 5.4.8 Transmitter unwanted emissions in the out-of-band domain

Condition	Mode	Frequency (MHz)	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	b	2412	2399.5	-39.44	-10	Pass
NVNT	b	2412	2398.5	-39.06	-10	Pass
NVNT	b	2412	2397.5	-41.42	-10	Pass
NVNT	b	2412	2396.5	-42.96	-10	Pass
NVNT	b	2412	2395.5	-42.47	-10	Pass
NVNT	b	2412	2394.5	-40.33	-10	Pass
NVNT	b	2412	2393.5	-40.85	-10	Pass
NVNT	b	2412	2392.5	-40.67	-10	Pass
NVNT	b	2412	2391.5	-41.67	-10	Pass
NVNT	b	2412	2390.5	-45.65	-10	Pass
NVNT	b	2412	2389.5	-49.36	-10	Pass
NVNT	b	2412	2388.5	-44.96	-10	Pass
NVNT	b	2412	2387.5	-41.95	-10	Pass
NVNT	b	2412	2386.5	-40.95	-10	Pass
NVNT	b	2412	2386.248	-40.8	-10	Pass
NVNT	b	2412	2385.248	-40.71	-20	Pass
NVNT	b	2412	2384.248	-42.48	-20	Pass
NVNT	b	2412	2383.248	-43.27	-20	Pass
NVNT	b	2412	2382.248	-43.59	-20	Pass
NVNT	b	2412	2381.248	-45.62	-20	Pass
NVNT	b	2412	2380.248	-48.62	-20	Pass
NVNT	b	2412	2379.248	-48.63	-20	Pass
NVNT	b	2412	2378.248	-50.9	-20	Pass
NVNT	b	2412	2377.248	-48.79	-20	Pass
NVNT	b	2412	2376.248	-47.52	-20	Pass
NVNT	b	2412	2375.248	-47.26	-20	Pass
NVNT	b	2412	2374.248	-49.11	-20	Pass
NVNT	b	2412	2373.248	-49.61	-20	Pass
NVNT	b	2412	2372.248	-49.64	-20	Pass
NVNT	b	2412	2371.996	-49.09	-20	Pass
NVNT	b	2472	2484	-41.76	-10	Pass
NVNT	b	2472	2485	-35.74	-10	Pass
NVNT	b	2472	2486	-34.35	-10	Pass
NVNT	b	2472	2487	-35.64	-10	Pass
NVNT	b	2472	2488	-36.07	-10	Pass
NVNT	b	2472	2489	-37.26	-10	Pass
NVNT	b	2472	2490	-37.47	-10	Pass

NVNT	b	2472	2491	-39.15	-10	Pass
NVNT	b	2472	2492	-40.01	-10	Pass
NVNT	b	2472	2493	-44.09	-10	Pass
NVNT	b	2472	2494	-48.39	-10	Pass
NVNT	b	2472	2495	-45.67	-10	Pass
NVNT	b	2472	2496	-43.02	-10	Pass
NVNT	b	2472	2497	-41.87	-10	Pass
NVNT	b	2472	2497.266	-41.34	-10	Pass
NVNT	b	2472	2498.266	-41.45	-20	Pass
NVNT	b	2472	2499.266	-42.6	-20	Pass
NVNT	b	2472	2500.266	-42.89	-20	Pass
NVNT	b	2472	2501.266	-44.22	-20	Pass
NVNT	b	2472	2502.266	-47.09	-20	Pass
NVNT	b	2472	2503.266	-50.23	-20	Pass
NVNT	b	2472	2504.266	-49.61	-20	Pass
NVNT	b	2472	2505.266	-50.55	-20	Pass
NVNT	b	2472	2506.266	-47.6	-20	Pass
NVNT	b	2472	2507.266	-49.09	-20	Pass
NVNT	b	2472	2508.266	-49.29	-20	Pass
NVNT	b	2472	2509.266	-49.67	-20	Pass
NVNT	b	2472	2510.266	-49.76	-20	Pass
NVNT	b	2472	2511.266	-51.3	-20	Pass
NVNT	b	2472	2511.532	-50.78	-20	Pass
NVNT	g	2412	2399.5	-19.32	-10	Pass
NVNT	g	2412	2398.5	-20.59	-10	Pass
NVNT	g	2412	2397.5	-21.83	-10	Pass
NVNT	g	2412	2396.5	-22.83	-10	Pass
NVNT	g	2412	2395.5	-24.1	-10	Pass
NVNT	g	2412	2394.5	-25.59	-10	Pass
NVNT	g	2412	2393.5	-27.13	-10	Pass
NVNT	g	2412	2392.5	-28.9	-10	Pass
NVNT	g	2412	2391.5	-30.64	-10	Pass
NVNT	g	2412	2390.5	-32.2	-10	Pass
NVNT	g	2412	2389.5	-33.64	-10	Pass
NVNT	g	2412	2388.5	-34.82	-10	Pass
NVNT	g	2412	2387.5	-35.57	-10	Pass
NVNT	g	2412	2386.5	-36.13	-10	Pass
NVNT	g	2412	2385.5	-36.68	-10	Pass
NVNT	g	2412	2384.5	-37.14	-10	Pass
NVNT	g	2412	2384.066	-37.41	-10	Pass
NVNT	g	2412	2383.066	-38.03	-20	Pass

NVNT	g	2412	2382.066	-38.67	-20	Pass
NVNT	g	2412	2381.066	-39.03	-20	Pass
NVNT	g	2412	2380.066	-39.58	-20	Pass
NVNT	g	2412	2379.066	-40.1	-20	Pass
NVNT	g	2412	2378.066	-40.59	-20	Pass
NVNT	g	2412	2377.066	-41.19	-20	Pass
NVNT	g	2412	2376.066	-41.65	-20	Pass
NVNT	g	2412	2375.066	-42.13	-20	Pass
NVNT	g	2412	2374.066	-42.59	-20	Pass
NVNT	g	2412	2373.066	-42.87	-20	Pass
NVNT	g	2412	2372.066	-43.11	-20	Pass
NVNT	g	2412	2371.066	-43.37	-20	Pass
NVNT	g	2412	2370.066	-43.78	-20	Pass
NVNT	g	2412	2369.066	-43.92	-20	Pass
NVNT	g	2412	2368.066	-44.13	-20	Pass
NVNT	g	2412	2367.632	-44.2	-20	Pass
NVNT	g	2472	2484	-18.76	-10	Pass
NVNT	g	2472	2485	-19.76	-10	Pass
NVNT	g	2472	2486	-21.19	-10	Pass
NVNT	g	2472	2487	-22.38	-10	Pass
NVNT	g	2472	2488	-23.72	-10	Pass
NVNT	g	2472	2489	-25.05	-10	Pass
NVNT	g	2472	2490	-26.77	-10	Pass
NVNT	g	2472	2491	-28.31	-10	Pass
NVNT	g	2472	2492	-30	-10	Pass
NVNT	g	2472	2493	-31.41	-10	Pass
NVNT	g	2472	2494	-32.67	-10	Pass
NVNT	g	2472	2495	-33.7	-10	Pass
NVNT	g	2472	2496	-34.48	-10	Pass
NVNT	g	2472	2497	-35.21	-10	Pass
NVNT	g	2472	2498	-35.67	-10	Pass
NVNT	g	2472	2499	-36.26	-10	Pass
NVNT	g	2472	2499.449	-36.57	-10	Pass
NVNT	g	2472	2500.449	-37.56	-20	Pass
NVNT	g	2472	2501.449	-38.16	-20	Pass
NVNT	g	2472	2502.449	-38.77	-20	Pass
NVNT	g	2472	2503.449	-39.23	-20	Pass
NVNT	g	2472	2504.449	-39.99	-20	Pass
NVNT	g	2472	2505.449	-40.69	-20	Pass
NVNT	g	2472	2506.449	-41.4	-20	Pass
NVNT	g	2472	2507.449	-42.03	-20	Pass

NVNT	g	2472	2508.449	-42.61	-20	Pass
NVNT	g	2472	2509.449	-43.3	-20	Pass
NVNT	g	2472	2510.449	-43.89	-20	Pass
NVNT	g	2472	2511.449	-44.47	-20	Pass
NVNT	g	2472	2512.449	-44.88	-20	Pass
NVNT	g	2472	2513.449	-45.44	-20	Pass
NVNT	g	2472	2514.449	-45.85	-20	Pass
NVNT	g	2472	2515.449	-46.27	-20	Pass
NVNT	g	2472	2515.898	-46.44	-20	Pass
NVNT	n20	2412	2399.5	-19.34	-10	Pass
NVNT	n20	2412	2398.5	-20.36	-10	Pass
NVNT	n20	2412	2397.5	-21.55	-10	Pass
NVNT	n20	2412	2396.5	-22.66	-10	Pass
NVNT	n20	2412	2395.5	-23.89	-10	Pass
NVNT	n20	2412	2394.5	-25.04	-10	Pass
NVNT	n20	2412	2393.5	-26.41	-10	Pass
NVNT	n20	2412	2392.5	-27.76	-10	Pass
NVNT	n20	2412	2391.5	-29.22	-10	Pass
NVNT	n20	2412	2390.5	-30.63	-10	Pass
NVNT	n20	2412	2389.5	-32.03	-10	Pass
NVNT	n20	2412	2388.5	-33.32	-10	Pass
NVNT	n20	2412	2387.5	-34.48	-10	Pass
NVNT	n20	2412	2386.5	-35.36	-10	Pass
NVNT	n20	2412	2385.5	-36.02	-10	Pass
NVNT	n20	2412	2384.5	-36.51	-10	Pass
NVNT	n20	2412	2383.5	-37.09	-10	Pass
NVNT	n20	2412	2382.891	-37.37	-10	Pass
NVNT	n20	2412	2381.891	-37.89	-20	Pass
NVNT	n20	2412	2380.891	-38.43	-20	Pass
NVNT	n20	2412	2379.891	-38.95	-20	Pass
NVNT	n20	2412	2378.891	-39.53	-20	Pass
NVNT	n20	2412	2377.891	-40	-20	Pass
NVNT	n20	2412	2376.891	-40.57	-20	Pass
NVNT	n20	2412	2375.891	-41.05	-20	Pass
NVNT	n20	2412	2374.891	-41.5	-20	Pass
NVNT	n20	2412	2373.891	-41.98	-20	Pass
NVNT	n20	2412	2372.891	-42.38	-20	Pass
NVNT	n20	2412	2371.891	-42.76	-20	Pass
NVNT	n20	2412	2370.891	-43.12	-20	Pass
NVNT	n20	2412	2369.891	-43.44	-20	Pass
NVNT	n20	2412	2368.891	-43.69	-20	Pass

NVNT	n20	2412	2367.891	-43.93	-20	Pass
NVNT	n20	2412	2366.891	-44.13	-20	Pass
NVNT	n20	2412	2365.891	-44.34	-20	Pass
NVNT	n20	2412	2365.282	-44.46	-20	Pass
NVNT	n20	2472	2484	-19.25	-10	Pass
NVNT	n20	2472	2485	-20.42	-10	Pass
NVNT	n20	2472	2486	-21.59	-10	Pass
NVNT	n20	2472	2487	-22.74	-10	Pass
NVNT	n20	2472	2488	-23.98	-10	Pass
NVNT	n20	2472	2489	-25.25	-10	Pass
NVNT	n20	2472	2490	-26.56	-10	Pass
NVNT	n20	2472	2491	-27.9	-10	Pass
NVNT	n20	2472	2492	-29.29	-10	Pass
NVNT	n20	2472	2493	-30.65	-10	Pass
NVNT	n20	2472	2494	-31.91	-10	Pass
NVNT	n20	2472	2495	-32.96	-10	Pass
NVNT	n20	2472	2496	-33.94	-10	Pass
NVNT	n20	2472	2497	-34.76	-10	Pass
NVNT	n20	2472	2498	-35.46	-10	Pass
NVNT	n20	2472	2499	-36.09	-10	Pass
NVNT	n20	2472	2500	-36.73	-10	Pass
NVNT	n20	2472	2500.622	-37.11	-10	Pass
NVNT	n20	2472	2501.622	-37.75	-20	Pass
NVNT	n20	2472	2502.622	-38.39	-20	Pass
NVNT	n20	2472	2503.622	-39.04	-20	Pass
NVNT	n20	2472	2504.622	-39.69	-20	Pass
NVNT	n20	2472	2505.622	-40.34	-20	Pass
NVNT	n20	2472	2506.622	-40.97	-20	Pass
NVNT	n20	2472	2507.622	-41.66	-20	Pass
NVNT	n20	2472	2508.622	-42.23	-20	Pass
NVNT	n20	2472	2509.622	-42.83	-20	Pass
NVNT	n20	2472	2510.622	-43.43	-20	Pass
NVNT	n20	2472	2511.622	-44.02	-20	Pass
NVNT	n20	2472	2512.622	-44.5	-20	Pass
NVNT	n20	2472	2513.622	-45	-20	Pass
NVNT	n20	2472	2514.622	-45.41	-20	Pass
NVNT	n20	2472	2515.622	-45.85	-20	Pass
NVNT	n20	2472	2516.622	-46.22	-20	Pass
NVNT	n20	2472	2517.622	-46.58	-20	Pass
NVNT	n20	2472	2518.244	-46.78	-20	Pass
NVNT	n40	2422	2399.5	-25.58	-10	Pass




NVNT	n40	2422	2398.5	-26.32	-10	Pass
NVNT	n40	2422	2397.5	-26.68	-10	Pass
NVNT	n40	2422	2396.5	-27.35	-10	Pass
NVNT	n40	2422	2395.5	-27.77	-10	Pass
NVNT	n40	2422	2394.5	-28.46	-10	Pass
NVNT	n40	2422	2393.5	-28.93	-10	Pass
NVNT	n40	2422	2392.5	-29.43	-10	Pass
NVNT	n40	2422	2391.5	-29.93	-10	Pass
NVNT	n40	2422	2390.5	-30.64	-10	Pass
NVNT	n40	2422	2389.5	-31.02	-10	Pass
NVNT	n40	2422	2388.5	-31.54	-10	Pass
NVNT	n40	2422	2387.5	-32.08	-10	Pass
NVNT	n40	2422	2386.5	-32.45	-10	Pass
NVNT	n40	2422	2385.5	-32.87	-10	Pass
NVNT	n40	2422	2384.5	-33.29	-10	Pass
NVNT	n40	2422	2383.5	-33.73	-10	Pass
NVNT	n40	2422	2382.5	-34.16	-10	Pass
NVNT	n40	2422	2381.5	-34.41	-10	Pass
NVNT	n40	2422	2380.5	-34.83	-10	Pass
NVNT	n40	2422	2379.5	-35.17	-10	Pass
NVNT	n40	2422	2378.5	-35.45	-10	Pass
NVNT	n40	2422	2377.5	-35.72	-10	Pass
NVNT	n40	2422	2376.5	-36.07	-10	Pass
NVNT	n40	2422	2375.5	-36.35	-10	Pass
NVNT	n40	2422	2374.5	-36.61	-10	Pass
NVNT	n40	2422	2373.5	-36.98	-10	Pass
NVNT	n40	2422	2372.5	-37.21	-10	Pass
NVNT	n40	2422	2371.5	-37.62	-10	Pass
NVNT	n40	2422	2370.5	-37.96	-10	Pass
NVNT	n40	2422	2369.5	-38.27	-10	Pass
NVNT	n40	2422	2368.5	-38.59	-10	Pass
NVNT	n40	2422	2367.5	-38.96	-10	Pass
NVNT	n40	2422	2366.5	-39.34	-10	Pass
NVNT	n40	2422	2365.5	-39.71	-10	Pass
NVNT	n40	2422	2364.561	-40.13	-10	Pass
NVNT	n40	2422	2363.561	-40.44	-20	Pass
NVNT	n40	2422	2362.561	-40.83	-20	Pass
NVNT	n40	2422	2361.561	-41.24	-20	Pass
NVNT	n40	2422	2360.561	-41.64	-20	Pass
NVNT	n40	2422	2359.561	-42.05	-20	Pass
NVNT	n40	2422	2358.561	-42.45	-20	Pass

NVNT	n40	2422	2357.561	-42.88	-20	Pass
NVNT	n40	2422	2356.561	-43.25	-20	Pass
NVNT	n40	2422	2355.561	-43.66	-20	Pass
NVNT	n40	2422	2354.561	-44.05	-20	Pass
NVNT	n40	2422	2353.561	-44.48	-20	Pass
NVNT	n40	2422	2352.561	-44.91	-20	Pass
NVNT	n40	2422	2351.561	-45.29	-20	Pass
NVNT	n40	2422	2350.561	-45.66	-20	Pass
NVNT	n40	2422	2349.561	-46.13	-20	Pass
NVNT	n40	2422	2348.561	-46.53	-20	Pass
NVNT	n40	2422	2347.561	-46.87	-20	Pass
NVNT	n40	2422	2346.561	-47.23	-20	Pass
NVNT	n40	2422	2345.561	-47.61	-20	Pass
NVNT	n40	2422	2344.561	-48.01	-20	Pass
NVNT	n40	2422	2343.561	-48.33	-20	Pass
NVNT	n40	2422	2342.561	-48.66	-20	Pass
NVNT	n40	2422	2341.561	-49.03	-20	Pass
NVNT	n40	2422	2340.561	-49.31	-20	Pass
NVNT	n40	2422	2339.561	-49.65	-20	Pass
NVNT	n40	2422	2338.561	-49.97	-20	Pass
NVNT	n40	2422	2337.561	-50.26	-20	Pass
NVNT	n40	2422	2336.561	-50.5	-20	Pass
NVNT	n40	2422	2335.561	-50.78	-20	Pass
NVNT	n40	2422	2334.561	-51.08	-20	Pass
NVNT	n40	2422	2333.561	-51.35	-20	Pass
NVNT	n40	2422	2332.561	-51.59	-20	Pass
NVNT	n40	2422	2331.561	-51.83	-20	Pass
NVNT	n40	2422	2330.561	-52.08	-20	Pass
NVNT	n40	2422	2329.561	-52.33	-20	Pass
NVNT	n40	2422	2328.622	-52.54	-20	Pass
NVNT	n40	2462	2484	-26.77	-10	Pass
NVNT	n40	2462	2485	-27.26	-10	Pass
NVNT	n40	2462	2486	-27.87	-10	Pass
NVNT	n40	2462	2487	-28.46	-10	Pass
NVNT	n40	2462	2488	-28.94	-10	Pass
NVNT	n40	2462	2489	-29.54	-10	Pass
NVNT	n40	2462	2490	-29.97	-10	Pass
NVNT	n40	2462	2491	-30.41	-10	Pass
NVNT	n40	2462	2492	-30.77	-10	Pass
NVNT	n40	2462	2493	-31.32	-10	Pass
NVNT	n40	2462	2494	-31.7	-10	Pass


NVNT	n40	2462	2495	-32.13	-10	Pass
NVNT	n40	2462	2496	-32.54	-10	Pass
NVNT	n40	2462	2497	-32.98	-10	Pass
NVNT	n40	2462	2498	-33.32	-10	Pass
NVNT	n40	2462	2499	-33.72	-10	Pass
NVNT	n40	2462	2500	-34.01	-10	Pass
NVNT	n40	2462	2501	-34.4	-10	Pass
NVNT	n40	2462	2502	-34.68	-10	Pass
NVNT	n40	2462	2503	-35.09	-10	Pass
NVNT	n40	2462	2504	-35.48	-10	Pass
NVNT	n40	2462	2505	-35.77	-10	Pass
NVNT	n40	2462	2506	-36.08	-10	Pass
NVNT	n40	2462	2507	-36.48	-10	Pass
NVNT	n40	2462	2508	-36.76	-10	Pass
NVNT	n40	2462	2509	-37.14	-10	Pass
NVNT	n40	2462	2510	-37.52	-10	Pass
NVNT	n40	2462	2511	-37.86	-10	Pass
NVNT	n40	2462	2512	-38.17	-10	Pass
NVNT	n40	2462	2513	-38.59	-10	Pass
NVNT	n40	2462	2514	-38.95	-10	Pass
NVNT	n40	2462	2515	-39.37	-10	Pass
NVNT	n40	2462	2516	-39.77	-10	Pass
NVNT	n40	2462	2517	-40.15	-10	Pass
NVNT	n40	2462	2518	-40.52	-10	Pass
NVNT	n40	2462	2518.962	-40.91	-10	Pass
NVNT	n40	2462	2519.962	-41.31	-20	Pass
NVNT	n40	2462	2520.962	-41.79	-20	Pass
NVNT	n40	2462	2521.962	-42.13	-20	Pass
NVNT	n40	2462	2522.962	-42.55	-20	Pass
NVNT	n40	2462	2523.962	-42.94	-20	Pass
NVNT	n40	2462	2524.962	-43.4	-20	Pass
NVNT	n40	2462	2525.962	-43.78	-20	Pass
NVNT	n40	2462	2526.962	-44.19	-20	Pass
NVNT	n40	2462	2527.962	-44.67	-20	Pass
NVNT	n40	2462	2528.962	-45.16	-20	Pass
NVNT	n40	2462	2529.962	-45.57	-20	Pass
NVNT	n40	2462	2530.962	-45.98	-20	Pass
NVNT	n40	2462	2531.962	-46.43	-20	Pass
NVNT	n40	2462	2532.962	-46.81	-20	Pass
NVNT	n40	2462	2533.962	-47.24	-20	Pass
NVNT	n40	2462	2534.962	-47.62	-20	Pass

NVNT	n40	2462	2535.962	-48.05	-20	Pass
NVNT	n40	2462	2536.962	-48.41	-20	Pass
NVNT	n40	2462	2537.962	-48.79	-20	Pass
NVNT	n40	2462	2538.962	-49.19	-20	Pass
NVNT	n40	2462	2539.962	-49.52	-20	Pass
NVNT	n40	2462	2540.962	-49.86	-20	Pass
NVNT	n40	2462	2541.962	-50.19	-20	Pass
NVNT	n40	2462	2542.962	-50.49	-20	Pass
NVNT	n40	2462	2543.962	-50.74	-20	Pass
NVNT	n40	2462	2544.962	-51.06	-20	Pass
NVNT	n40	2462	2545.962	-51.33	-20	Pass
NVNT	n40	2462	2546.962	-51.59	-20	Pass
NVNT	n40	2462	2547.962	-51.85	-20	Pass
NVNT	n40	2462	2548.962	-52.07	-20	Pass
NVNT	n40	2462	2549.962	-52.24	-20	Pass
NVNT	n40	2462	2550.962	-52.47	-20	Pass
NVNT	n40	2462	2551.962	-52.71	-20	Pass
NVNT	n40	2462	2552.962	-52.9	-20	Pass
NVNT	n40	2462	2553.962	-53.08	-20	Pass
NVNT	n40	2462	2554.924	-53.24	-20	Pass


## Tx. Emissions OOB NVNT b 2412MHz




## Tx. Emissions OOB NVNT b 2472MHz




## Tx. Emissions OOB NVNT g 2412MHz




## Tx. Emissions OOB NVNT g 2472MHz




## Tx. Emissions OOB NVNT n20 2412MHz




## Tx. Emissions OOB NVNT n20 2472MHz



## Tx. Emissions OOB NVNT n40 2422MHz



## Tx. Emissions OOB NVNT n40 2462MHz







## Clause 5.4.3 Power Spectral Density

Condition	Mode	Frequency (MHz)	Max PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	b	2412	8.92	10	Pass
NVNT	b	2442	9.29	10	Pass
NVNT	b	2472	9.42	10	Pass
NVNT	g	2412	5.55	10	Pass
NVNT	g	2442	5.85	10	Pass
NVNT	g	2472	6.27	10	Pass
NVNT	n20	2412	3.78	10	Pass
NVNT	n20	2442	4.7	10	Pass
NVNT	n20	2472	4.79	10	Pass
NVNT	n40	2422	2.33	10	Pass
NVNT	n40	2442	2.48	10	Pass
NVNT	n40	2462	2.95	10	Pass


PSD NVNT b 2412MHz




## PSD NVNT b 2442MHz




## PSD NVNT b 2472MHz




## PSD NVNT g 2412MHz




## PSD NVNT g 2442MHz



## PSD NVNT g 2472MHz




## PSD NVNT n20 2412MHz




## PSD NVNT n20 2442MHz




## PSD NVNT n20 2472MHz




## PSD NVNT n40 2422MHz



## PSD NVNT n40 2442MHz




## PSD NVNT n40 2462MHz



## Clause 5.4.7 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	b	2412	2411.997	12.911	2405.542	2418.453	0	Pass
NVNT	b	2472	2471.877	14.266	2464.743	2479.01	0	Pass
NVNT	g	2412	2411.947	16.434	2403.729	2420.164	0	Pass
NVNT	g	2472	2471.933	16.449	2463.709	2480.158	0	Pass
NVNT	n20	2412	2411.947	17.609	2403.142	2420.752	0	Pass
NVNT	n20	2472	2471.932	17.622	2463.121	2480.743	0	Pass
NVNT	n40	2422	2421.877	35.939	2403.907	2439.847	0	Pass
NVNT	n40	2462	2461.864	35.962	2443.883	2479.846	0	Pass

### OBW NVNT b 2412MHz







## OBW NVNT b 2472MHz




## OBW NVNT g 2412MHz




## OBW NVNT g 2472MHz




## OBW NVNT n20 2412MHz




## OBW NVNT n20 2472MHz



## OBW NVNT n40 2422MHz




## OBW NVNT n40 2462MHz




## Clause 5.4.6 Adaptivity Channel Occupancy Time

Condition	Mode	Frequency (MHz)	e.i.r.p (dBm)	Max COT (ms)	Limit COT (ms)	Min Idle Time (ms)	Limit Idle Time (ms)	Verdict
NVNT	b	2412	17.33	1.318	$\leq 13$	0.022	$> 0.016$	Pass
NVNT	b	2472	17.87	1.356	$\leq 13$	0.022	$> 0.016$	Pass
NVNT	g	2412	15.77	1.423	$\leq 13$	0.037	$> 0.016$	Pass
NVNT	g	2472	16.54	1.423	$\leq 13$	0.045	$> 0.016$	Pass
NVNT	n20	2412	14.29	1.838	$\leq 13$	0.354	$> 0.016$	Pass
NVNT	n20	2472	15.36	1.845	$\leq 13$	0.022	$> 0.016$	Pass
NVNT	n40	2422	15.72	1.973	$\leq 13$	0.120	$> 0.016$	Pass
NVNT	n40	2462	16.31	1.966	$\leq 13$	0.037	$> 0.016$	Pass


COT NVNT b 2412MHz




## COT NVNT b 2472MHz




## COT NVNT g 2412MHz




## COT NVNT g 2472MHz




## COT NVNT n20 2412MHz



## COT NVNT n20 2472MHz




## COT NVNT n40 2422MHz






## COT NVNT n40 2462MHz




### Clause 5.4.6 Adaptivity

Condition	Mode	Frequency (MHz)	AWGN Level (dBm)	CW Level (dBm)	Short Control Width (ms)	Short Control Ratio(%)	Limit (%)	Verdict
NVNT	b	2412	-67.33	-35	1.95	3.9	$\leq 10$	Pass
NVNT	b	2472	-67.87	-35	1.95	3.9	$\leq 10$	Pass
NVNT	g	2412	-65.77	-35	1.95	3.9	$\leq 10$	Pass
NVNT	g	2472	-66.54	-35	1.95	3.9	$\leq 10$	Pass
NVNT	n20	2412	-64.29	-35	2.6	5.2	$\leq 10$	Pass
NVNT	n20	2472	-65.36	-35	0	0	$\leq 10$	Pass
NVNT	n40	2422	-65.72	-35	2.59	5.18	$\leq 10$	Pass
NVNT	n40	2462	-66.31	-35	2.59	5.18	$\leq 10$	Pass


Adaptivity NVNT b 2412MHz




## Control Signal NVNT b 2412MHz




## Adaptivity NVNT b 2472MHz




## Control Signal NVNT b 2472MHz




## Adaptivity NVNT g 2412MHz




## Control Signal NVNT g 2412MHz




## Adaptivity NVNT g 2472MHz




## Control Signal NVNT g 2472MHz




## Adaptivity NVNT n20 2412MHz




## Control Signal NVNT n20 2412MHz




## Adaptivity NVNT n20 2472MHz



## Control Signal NVNT n20 2472MHz




## Adaptivity NVNT n40 2422MHz






## Control Signal NVNT n40 2422MHz



## Adaptivity NVNT n40 2462MHz



Control Signal NVNT n40 2462MHz

